

Performance Products

2026 Set-Up Equipment Catalog

EVERY WIN. EVERY CHAMPIONSHIP.











Making Race Cars Fast is Hard!

The first 98% of speed is relatively simple.

The last 2% (the difference between winning and being average) can be incredibly complex and expensive! For a 16 second lap, the 2% is the last 3 tenths of a second.

Our goal at DRP is to design and build tools that make the last 2% of Speed:

- Less Complex to Understand
 - Easier and Faster to Find
 - More Consistent& Less Expensive.

At DRP, we DESIGN, DEVELOP, MANUFACTURE & SUPPORT our products in our Bassett, Virginia facility!

Phone: 888-399-6074 Text: 833-269-7736

Email: support@drpperformance.com
Online @ DRPperformance.com & Accu-Force.com

How we can help you find more speed and win more races:



Accu-Force™ Premium Spring Smashers When Precision & Accuracy Counts, Count on Accu-Force!



Accu-Force™ Dynamic Set-Up Systems
The Ultimate Short Track Set-Up & Testing Tool
Pull Down • Test • Set-Up • Learn



Real Square™ Laser Wheel Alignment Systems
The Most Overlooked Element of Speed!



DRP Data Acquisition Systems
Better Information Leads to Better Decisions!

Championship Level Teams require more performance from their race cars, people and equipment.

Accu-Force Spring Smashers are designed for champions, leading the industry in accuracy and innovation.

Every Accu-Force Machine is precision calibrated for accuracy and guaranteed to be repeatable to 0.1%!

Fast and Accurate Manual Controls on the Standard III for teams looking for simplicity.

Precision Automated Controls on the GEN 3 Automatic for teams needing graphing, compression & extension loads and precise repeatability.

> When Accuracy Counts, Count on Accu-Force!



ORF

Performance Products

Manufactured & Serviced GEN 3 by DRP Performance **Automatic** in Bassett, VA

Standard III

New for '26

LVCCU-FOIRE





The fastest and most accurate way to change

coil-over springs.



Tool Tray

BilletShock Pins

• Gen 3 Design for Maximum Accuracy

 Integrated Spring Unloader Eliminates Removing Shock to Change Spring.

• Extra Clearance when Unloading Springs.

• Canister Cup™ Quickly & Securely Holds Gas Canister.

Wheel Kit for Portability.

Pin Holders for Speed

Automated for Fast & Repeatable Tests
On Screen Graphing with Overlay
USB Download
Push & Pull Modes





Overlay Graphs to Compare Tests. Graph Compression & Rebound.



Manual Mode for Simple Manual Tests. Quick Tap to Zero Load and Travel.



AF3500 Accu-Force® Automated Spring Smasher - Base Model \$7495.00 AF3550 Accu-Force® Automated Spring Smasher - Loaded \$7974.00

Loaded Model Includes Spring Unloader, Canister Cup & Wheel Kit.



Professional Grade Control Fast, Automated Tests

> 100% Customer Satisfaction Guarantee 12 Month Warranty

Height	72"			
Width	15"			
Depth	15.5"			
Max Shock Extension	30.25"			
Min Shock Compression	12.25"			
Max Travel	18"			
Weight	145 lbs 110v or 230v			
Voltage				
Speed	.250"/Second			
Shock Eyelet Size	1/2" or Custom			
Max Load	4500lbs Automatic or Manual Touchscreen			
Controls				



Spring Smasher

Standard III Spring Smasher

- Simple & Fast Touch Screen Displays Shock Centerline, Load & Travel
 - Tap Screen to Zero Weight or Travel
 - Electric Actuator with Toggle Switch Control
 - Extension Over-limit
- Optional Integrated Spring Unloader Eliminates Removing Shock to Change Spring.
 - Optional Wheel Kit for Portability.
 - Pin Holders for Speed



Main Touch Screen Displays Center to Center & Spring Load.

CENTER-CENTER DISTANCE

16.636 in

+953 ib

HOLD TO TABLE LOAD

TRAVEL DISTANCE
+0.023

TAP TO RESET TRAVEL DISTANCE

PULL

WHEEL LOAD

TAP TO RESET LOAD

TAP TO RESET OFFSET LOAD

TAP TO RESET OFFSET LOAD

TAP TO RESET OFFSET LOAD

Quick Tap to Zero Load and Travel. Select Push or Pull Mode. (Push Mode Prevents over Extending Shock)

AF3100 Accu-Force® Standard III Spring Smasher \$4194.00

\$

FINANCING AVAILABLE

The Standard III's greatest feature is its simplicity.

One Screen, Push or Pull Mode. Manual Toggle Control

Height /	71" 15" 15.5" 30.25" 12.25" 18" 125 lbs 110v or 230v .250"/Second 1/2" or Custom 3500lbs Manual Toggle with Touchscreen Display		
Width			
Depth			
Max Shock Extension			
Min Shock Compression			
Max Travel			
Weight			
Voltage			
Speed			
Shock Eyelet Size			
Max Load			
Controls			

Repeatable Set-Ups. Improved Performance.

> 100% Customer Satisfaction Guarantee 12 Month Warranty

888-399-6074 DRPperformance.net DRPuniversity.tv

XL Spring Smashers

XL Manual Features:

- Measures Spring Load & Travel
- Precision Joystick Control
- Easy to Use Touchscreen Display
- High Speed Cylinder
- •5000# Max Load

XL Automatic Features:

- Automatically Loads, Records, Graphs and Unloads Spring
- Measures Spring Load & Travel
- Measure Low Speed Shock Valving & Adjustments
- Measures & Graphs
 Compression & Rebound
- Save Tests
- Set Spring Load, Lock Out Nuts, Bump Stops
- Check for Binds
- · Store & Graph Data
- USB Data Download
- Match Shocks & Springs
- Remove & Replace Pre-Loaded Springs without adjusting Coil Over Nuts!

100% Customer Satisfaction Guarantee 12 Month Warranty





- UTV
 Side by Side
 Baja
 Trophy & Stadium Trucks
 - 21" Stroke
 Your Choice of Shock
 Length.
 Up to 60" Shock Length
 Available!
 Manual or Fully

AF3600M Accu-Force® XL Manual Spring Smasher \$4695.00

Height	78.25"		
Width	15"		
Depth	15.5"		
Max Shock Extension	*Custom*		
Min Shock Compression	*Custom*		
Max Travel	21"		
Weight	145 lbs		
Voltage	110v or 230v		
Speed	.500"/Second		
Shock Eyelet Size	1/2" or Custom		
Max Load	5000lbs		

Spring Smasher Accessories



GEN-2 Swivel Unloader Captures Spring AF1920 \$303.00



One Piece Unloader with Indicator Clearance AF1910 \$303.00



Canister Cup for Canister Style Shocks AF1950 \$109.00



Spring Rate Adapters AF1985 C/O \$157.00 AF1980 CONV \$241.00



Pull Bar & Trailing Arm Adapter Kits AF1958 5/8" \$149.00 AF1834 3/4" \$149.00



3 Piece Spring Unloader Remove-able Plates to Adjust Spring Size AF1930 \$506.00



Wheel Kit AF1800 \$79.00



New Billet Pins AF1812 \$33.00

Specialty Adapters

Quarter Midget Adapters
AF1860 \$142.00
Drag Race Clevis'
AF1865 63.00
Short Shock Extension
AF1870 \$63.00
SXS/UTV Clevis'
AF1875 \$74.00



888-399-6074 DRPperformance.net DRPuniversity.tv

Bar Dyno

How do you know if your bar is what it's supposed to be?








AF5000 Accu-Force® BAR DYNO \$7850.00 Specify: Torsion Bar, Sway Bar or Axle Adapters





100% Customer Satisfaction Guarantee 12 Month Warranty

3



Wheel positions and chassis heights are the foundation of your set-up. The best shocks, springs and suspension geometry are nullified when the wheels are pointed in the wrong direction.

Real Square™ Laser Wheel Alignment Systems, Fixtures and Tools ensure your foundation is solid.





Performance Products

Manufactured & Serviced by DRP Performance in Bassett, VA



Measure & Set Center to Center on Suspension Struts,
Panhard Bars, Shocks, Sway Bar Links & more
Includes 3/8", 1/2", 5/8" & 3/4" Adapters
Great for Calibrating Sensors-Includes 10-24" Adapters
2" - 29" Range

007 95201

Center to Center Strut Tool

\$365.00

Shock Travel Indicators



- Measures Shock Compression & Extension
 Replaces O-Ring Travel indicators
 - Mounts to Shock Bolt
- Quickly Measures Center to Center with Pointer

007 95200 Shock Travel Indicator

\$120.75

Wheel Plates

Adjustable height.

Base plate to mimic contact patch.

+/- 15deg Camber

Pull Down Ready.

Billet Aluminum with Black Powder Coat.



RS95010 Billet Wheel Plate with Swivel Base \$327.50 RS95012 5x5 Adapter for Wheel Plate \$55.00

Adjustable Set-Up Struts





- Quick Pin Adjustments Every 1/4"
 Laser Etched Centerline Measurements
 1/2" Rod Ends for Fine Adjustment
- 007 95160
 Quick Adjust Strut 14"-20.5"
 \$104.95

 007 95160-1
 Quick Adjust Strut 20"-26.5"
 \$104.95

 007 95160-2
 Quick Adjust Strut 24"-30.5"
 \$104.95







007 80270 Additional Steering Arm Fixture \$226.00



A Premium Tool to Prevent Bending Wide Five Wheels During Tire Mounting & Dismounting

007 81100 Wide Five Rim Saver - Threaded Studs \$210.00 007 81102 Wide Five Rim Saver - High Volume - Smooth Studs \$289.00



RS400PRO

Four Wheel/Dual Laser Alignment System





Measure Four Wheel Toe, Camber, Rear End Skew, Contact Patch Alignment & Wheel Base in 30 Minutes!

Dynamically measure: Bump Steer, Rear Steer, Ackerman & More.















RS90400P-ALM RS400PRO for Straight Rail Asphalt Late Models \$4185.00 **RS400PRO for NASCAR Late Model Stock Cars** RS90400P-LMSC \$4185.00 RS90400P-NMOD RS400PRO for NASCAR Tour Type Modifieds \$4185.00 RS90400P-DLM **RS400PRO for Dirt Late Models** \$4185.00 RS90400P-DMOD **RS400PRO for Dirt Modifieds** \$4185.00 RS90400P-AMOD RS400PRO for Asphalt Modifieds (8"Tire) \$4185.00 RS90400P-LEG **RS400PRO for Legend Cars** \$4675.00





RS200PRO Two Wheel/Single Laser Alignment System



90200P-ALM

RS200PRO for Straight Rail Specify Chassis Type \$2399.25

Real Square Accessories



PD19200	Alignment & Pull Down Storage Cart	\$1312.50	
96500A	Dual Axis Camber/Dynamic Caster Gauge	\$261.45	
98300	Magnetic Wheel Base Tool	\$48.83	
98301	Contact Patch Measurement Attachment	\$50.40	
97142	Axle Alignment Fixture - W/F	\$198.45	
97210	Wheel "T" Fixture with 8" Rulers	\$275.50	
97232	Frame Square - Magnetic (LMSC)	\$204.75	
97233	Frame Square - Clamp-on (Straight Rail)	\$181.65	

Slip Plates



- Increase Scaling and Alignment Accuracy
- Relaxes Tire. Eliminates Rolling Car Back & Forth
 - Aluminum Plates with PTFE Sheets. No Mess!

007 90301A 007 90306 Slip Plates Set - 4 Plates & Sheets Replacement PTFE Sheet \$294.00 \$30.50 Ground Plane Laser Ride Height Kit



Kit Includes Adjustable Laser Holder (Billet Aluminum & Stainless Steel Shaft, Self-Leveling Laser,
 (4) Magnetic 8" Carbon Rulers

PD21801 PD21800.8 Ground Plane Laser Kit Replacement 8" Carbon Ruler \$577.50 \$40.27



CEUFUTED Dynamic Set-Up Systems

Accu-Force™ Dynamic Set-Up Systems by DRP are championship proven tools to help you:

Improve Balance and Unload Faster
Test Ideas and Save Time at the Track
Find Problems such as Binds, Flex & Interference

Scale, Pull-Down, Test & Adjust in One System

Measure Dynamic Balance:

Total Load, Individual Wheel Loads, Dynamic Cross & Bite

Measure Dynamic Wheel Positions:

Toe, Bump, Rear Skew, Rear Steer, Contact Patch Alignment, Camber, Caster & Wheel Base

Measure Ride Heights

Measure Suspension Loads

Bump Loads, Sway Bar Load, Droop Limiter Load, Trailing Arm Loads







Manufactured & Serviced by DRP Performance in Bassett, VA

Advanced Chassis Set-Up. Short Track Price.

DSS-Z

Our latest Level Set-Up System with - Build as You Grow.

Measures Chassis Wheel Weights & Balance,
Shock Centerlines OR Frame Heights, Shock Travel
Center of Gravity Position +

8 Channel System. 10" Wireless Tablet Display. Lightweight 10" Scale Stands. Pulls Chassis Down to Measure On-Track Balance & Wheel Positions.

Dirt or Asphalt!



STAGE 1 – Pull Down Kit	STAGE 2 – Pull Down System	STAGE 3 – System with Scales
Pull Down Cylinders	Stage 1 Plus:	Stage 2 Plus:
Chassis Mounts	10" Pull Down Stands & Roll Offs.	DRP High Load Pull Down Scales
Floor Mounts		10" Wireless Tablet Display
Precision Joystick Control		Optional Shock or Ride Height Sensors

Modular System. Start complete or build as you grow.

- Stage 1 Kit: Everything you need to pull down your race car except scales & stands. Cylinders, Chassis Mounts, Floor Mounts, Slip Plates, Precision Joystick Control.
- Stage 2 Pull Down System: Everything in Stage 1 Plus 10" Lightweight Pull Down Stands with Roll Offs. Just add your scales and you're ready to pull down.
 - Stage 3 System with Scales: Stage 2 System with DRP High Load Pull Down Scales. These are purpose built scales for Dynamic Scaling.

Optional: Shock Sensors or Frame Height Sensors



Displays Wheel Weight/Load, Shock Center-line, Shock Travel **OR** Frame Heights at the same time! Eliminate the tape measure!



Measure & Graph Center of Gravity Position.



Wirelessly view control on any device. Phone, Tablet, Computer & TV

Email or Text for a DSS-2 Brochure: sales@drpperformance.com 1-833-269-7736

PD19020	DSS-2 Stage 1 Pull Down Kit - Asphalt	\$6295.00
PD19020D	DSS-2 Stage 1 Pull Down Kit - Dirt	\$7282.00
PD19030	DSS-2 Stage 2 Pull Down System Complete no Scales- Asphalt (No Scales)	\$8990.00
PD19030D	DSS-2 Stage 2 Pull Down System Complete no Scales - Dirt (No Scales)	\$9977.00
PD19040	DSS-2 Stage 3 Pull Down System Complete with Scales - Asphalt	\$15,750.00
PD19040D	DSS-2 Stage 3 Pull Down System Complete with Scales- Dirt	\$16,737.00



100% Customer Satisfaction Guarantee 12 Month Warranty

Fix Problems. Test Adjustments. Unload Faster.

DSS-3

4th Generation Dynamic Scaling System ALL-IN-ONE Chassis Set-Up System

Save Time while Improving Your Set-Up Accuracy!

- Measure & Adjust On-Track Balance.
 - Find & Fix Problems.
 - Test Adjustments in the Shop.
 - Increase Consistency & Speed.

Scale • Pull Down • Graph

Shock Centerlines • Frame Heights • Shock Travel

Center of Gravity Position • Sway Bar, Droop Limiter, Bump Loads

16 Channel System. 7" Industrial Touchscreen. 10" Wireless Tablet Display.
Billet 12" Tall Scale Stands.

Pulls Chassis Down to Measure On-Track Balance & Wheel Positions.

Variable Speed Joystick Controls. USB Data Download. 7" Touch Screen Display. Industrial Quality Components. Complete User Manual & Data Analysis Training Included.






Displays Wheel Weight/Load, Shock Center-line, Shock Travel & Frame Heights at the same time! Eliminate the tape measure!



Measure & Graph Center of Gravity Position.



Graph Wheel Load Curves Overlay & Compare Tests



Dirt or

Asphalt!



Wirelessly view control on any device.
Phone, Tablet, Computer & TV



4 Spare Sensor Channels.

Add Bump Stop, Droop Limiter, Sway Bar Load
Cells & More.



Compare Wheel Loads after Making Adjustments

Email or Text for a DSS-3 Brochure: sales@drpperformance.com 1-833-269-7736

PD19003-4G DSS-3 Standard Pull Down System \$19,485.

PD19113A-4G DSS-3 4th GEN Graphing Pull Down System with Shock Position Sensors \$24,145.

PD19003D-4G DSS-3 Standard Pull Down System with Acceleration \$20,715.

PD19113D-4G DSS-3 4th GEN Graphing Pull Down System with Acceleration & Shock Position Sensors \$25,385.

CONTRACTOR OF THE PROPERTY OF

100% Customer Satisfaction Guarantee 12 Month Warranty

888-399-6074 DRPperformance.net DRPuniversity.tv

Champion Proven Professional Chassis Set-Up.

DSS-4

DSS-4 Automated Chassis Set-Up System
Scale • Shock CL • Frame Heights • Pull Down • Analyze
Automated Chassis Movement + Acceleration

The Premier Short Track Set-Up System.

Automated Tests for Maximum Repeatability.

High Accuracy. Easy to Use.











Left Front	Left Front CL		Total Weight		Right Front CL	Right Front
936.8	0.000		2434.0		0.001	286.8
		Front %		Front Total		
LS Weight	LS %	50.2 %		1223.6	RS %	RS Weight
1339.8	55.0 %	Rear %		Rear Total	44.9 %	1094.2
		49.7 %		1210.4		
		Bite		Bite %		
Left Rear	Left Rear CL	-404.2		291.2 %	Right Rear CL	Right Rear
403.0	0.001	Cross Weight		Cross %	0.001	807.4
		690.0		28.3 %		
Home S	et-Up					DRE







Email or Text for a DSS-4 Brochure: sales@drpperformance.com 1-833-269-7736



FINANCING

AVAILABLE

PD19114A PD19114AM New Software!
Capture & Compare Set-Ups. Automatically Creates
Notebook pages. Displays Shock Centerline & Travel.
Fully Automated. Enter your travels or loads and press start!

Dirt or Asphalt!



DSS-4 Automated Chassis Set-Up System - Specify Chassis Type DSS-4 Master Package (Pull Down, RS400PRO, Ground Plane Laser) \$44,250.00 \$48,982.00



100% Customer Satisfaction Guarantee 12 Month Warranty

888-399-6074 DRPperformance.net DRPuniversity.tv






Adjusting Race Car Balance Comes Down to Decisions:


- What to Adjust?
- How Much to Adjust?

No matter what your experience level, the better your information, the better your decisions.

Data Acquisition gives you:

- •Full track measurements, not just the biggest bump.
- Driver Inputs (Steering & Throttle Position, Brake Pressures)
- Shock Travel & Speeds (Measure Shock Travel & Centerline)
- •Suspension Loads or Positions (Sway Bar, Droop Limiter, Bump Stops, Springs, Trailing Arms)
 - Tire Data (Tire Temperatures, Wheel Speed & Spin)
- Engine Data (RPM, Oil & Water Temps, Oil Pressure, Cyl Temps)
 - Lap Data (Driver Line, Lap Times, Segment Times, Speed)





Better Data. Better Decisions.

8+ Pro Wifi Data Acquisition System

Professional Level Data Acquisition for Any Level Team.





Dirt or Asphalt!


- 8 Channels Standard Expandable to 32+
 - Wireless Data Downloading via Wifi
 - Turn Key System Ready to Use
- Ships with 4 Shock Sensors (5 with Dirt System)
- GPS Track Mapping, RPM, Lap Times, Segment Times, G-Loads & Software Included.
 - LCD Display with Lap Timer & Live Sensor Readout.



Includes Online Video Training







DA21400ALM DA21400ASM DA21400DLM DA21400DSM **DRP 8+ ASPHALT PRO LINEAR Data Acquisition System** DRP 8+ ASPHALT PRO STRING Data Acquisition System **DRP 8+ DIRT PRO LINEAR Data Acquisition System DRP 8+ DIRT PRO STRING Data Acquisition System**

\$5554.00 \$5197.00 \$6495.00

\$4465.00

4+ Pro Wifi Data Acquisition System

Build as you go.

- 4 Channels Standard Expandable to 32+
 - Wireless Data Downloading via Wifi GPS Track Mapping, RPM, Lap Times, Segment
 - No Sensors Included. Use as is or Add Sensors of your choice.

Times, G-Loads & Software Included.

- LCD Display with Lap Timer & Live Sensor Readout.
- Compact, Lightweight, and Fully Configured **Plug & Play Setup**

Includes Online Video Training

DA21310M 4+ PRO Data Acquisition System - No Sensors Included \$2294.00





Solo Mini 4 Channel Data **Acquisition System**



- Very Compact & Simple
- 4 Channels Works as In Car GPS Lap Timer & Data Logger • GPS, RPM, Track Mapping, Segment Times
- Hardware Only Kit No Sensors
- Driver Kit Steering, Throttle, (2) Brake Pres.
- Susp. Kit (4) Linear Shock Sensors

DA22020 Solo Mini Hardware Only Kit \$1143.45 **DA22030 Solo Mini Driver Kit** \$3135.00 **DA22040 Solo Mini Suspension Kit** \$2993.00

MXG Dash Data Logger



•7" TFT Dash • Fully Configurable Screen

- Full Data Logger with GPS
- •8 Open Channels for Sensors
- Expandable for Additional Sensors
 - View Live Data on Screen
- Download to Race Studio Software for Analysis

DAMXG MXG Dash Data Logger \$3249.00

Linear Shock Sensors



DA21605-75 3" Stroke Shock Sensor \$303.45 DA21605-150 5.9" Stroke Shock Sensor \$304.40 DA21605-200 7.8" Stroke Shock Sensor \$304.40 DA21605-250 9.8" Stroke Shock Sensor \$304.40

String Style Shock Sensors



DA21607.1 25" String Style Shock Sensor \$529 DA21607 String Shock Sensor w/Mounts

Shock Sensor Mounts



Slip-On Shock Sensor Mount - Short \$18.90 Slip-On Shock Sensor Mount - Std \$18.90 Slip-On Shock Sensor Mount - Long \$18.90 **Shock Sensor Extension Mount \$25.20** Round Tube Shock Sensor Mount \$25,20 Deluxe Shock Sensor Mount Kit (62 pcs) \$345.45

Steering Sensor



DA21655 Rack Mt. Steering String Sensor \$549 DA21608 Universal Steering String Sensor \$493

Throttle Sensor



DA21650 String Style Throttle Sensor \$549.00 DA21650-1 Bay Bar Mount for Throttle Sensor \$16.50

Brake Pressure Sensor



• Kit Includes (1) Sensor, Whip Line, Bleeder, Tee

DA21670 Brake Pressure Sensor Kit \$231.00 DA21675 Brake Pressure Sensor Only \$190.00

Tire Temp Sensors



- Infrared Sensor
- 1 Sensor Gives 4 Individual Temps Across Tire • Kit Includes (2) Sensors & Harness for
- Data Logger.

CAN (Digital) Sensors - Does not use Analog channels

DA21685 Tire Temp Sensor Kit - Front \$1715.00 DA21685 Tire Temp Sensor Kit - Rear \$1715.00

GPS Receiver



Included with all Systems

DAGPS09S GPS Receiver 2m \$397.95 DAGPS09L GPS Receiver 4m \$397.95

Smarty Cam Sport



- Syncs with Data System or Stand Alone
- Displays Sensor Data On Screen with Video
- Can add GPS Antennae for stand alone use.
 Extremely Compact. 30fps Video.

DA22500 Smarty Cam Sport \$1207.50

Solo Lap Timer



DA22000 Solo 2 GPS Lap timer - Std \$499.00 DA22010 Solo 2 GPS Lap Timer w/RPM \$899.00

Data Hub Digital Channel Expander



 Add Channels to Your Data System
 Works with 4+ & 8+ Wifi (EVO-5), EVO-4S, EVO-4 & MXG Data Loggers

DA21560 4 Channel Digital Expander \$81.90

Sensor Cables



Custom Sensor Cables
Specify Snap to Snap (EVO-5 Series)
or Snap to Screw (EVO-4 Series)

DA 21602-2' 2' Premium Sensor Cable \$72.45
DA 21602-4' 4' Premium Sensor Cable \$72.45
DA 21602-6' 6' Premium Sensor Cable \$72.45
DA 21602-8' 8' Premium Sensor Cable \$72.45
DA 21602-10' 10' Premium Sensor Cable \$72.45
DA 21602-12' 12' Premium Sensor Cable \$72.45
Custom Length Premium Sensor Cable \$72.45

4 Channel Analog Channel Expander



 Add Channels to Your Data System
 Works with 4+ & 8+ Wifi (EVO-5), EVO-4S, EVO-4, Solo & MXG Data Loggers

DA21550 4 Channel Analog Expander \$341.25

Wheel Speed Sensors



Kit Includes: 2 Wheel Speed Sensors with Cables

DA21681 Wheel Speed Sensor Kit \$220.00

Engine Temp & Pressure Sensors



DA21674 Oil Temperature Sensor DA21671 Water Temperature Sensor

DA21671 Water Temperature Sensor \$79.00 DA21672 Oil Pressure Sensor \$167.00

Data Sensors Work on DSS Systems Tool



888-399-6074
DRPperformance.net
DRPuniversity.tv

\$79.00

Droop Limiter Load Cells



- All Data Systems Require Amplifier
- Includes Load Cell, Clevis & Jam Nut

DA21719 Droop Limiter Load Cell-1/2" With Amp \$1329.35 DA21719NA Droop Limiter Load Cell- 1/2" No Amp \$1120.35 **DA21701 Load Cell Amplifier** \$313.95

In-line Load Cells



 All Data Systems Require Amplifier • 3000LB Max Load Extremely Compact: 1" Body Length

3/8"-24 Male & Female \$1249.50 DA21711 DA21716 5/8"-18 Male & Female \$1249.50 DA21701 Load Cell Amplifier \$313.95

Bump Stop Load Cells



All Data Systems Require Amplifier

DA21751 Bump Stop Load Cell with Amp \$943.95 DA21751NA Bump Stop Load Cell Only \$733.95 **DA21701 Load Cell Amplifier** \$313.95

Sway Bar Load Cells



DA21715NA SB Load Cell-1/2" Solid (3" CL) No Amp \$1120.35 DA21718NA SB Load Cell-3/8" Solid (3" CL) No Amp DA21716NA Sway Bar Load Cell-Slapper Style-No Amp \$1120.35 DA21701 Load Cell Amplifier \$313.95

Trailing Arm Load Cells



 5000LB Max Load All Data Systems Require Amplifier

DA21713 Trailing Arm Load Cell-5/8"-w/Amp \$2504 DA21713NA Trailing Arm Load Cell Only \$2295 **DA21701 Load Cell Amplifier** \$313.95

Coil Spring Load Cell



- Replaces Jack Screw & Spring Cup For 5" Springs
- Amplifier Required for all Data Systems

DA21722 Coil Spring Load Cell w/Amp DA21722NA Coil Spring Load Cell Only **DA21751NA Replacement Load Cell Only DA21701 Load Cell Amplifier**

\$1312.00 \$1103.00 \$733.95 \$313.95

Coil Over Load Cell



• Replaces Bottom Spring Cup - For 2.5" Spring Amplifier Required for all Data Systems

DA21720 Coil Over Spring Load Cell w/Amp \$993.00 DA21720NA Coil Over Spring Load Cell Only \$787.00 DA21751NA Replacement Load Cell Only \$733.95 \$313.95 **DA21701 Load Cell Amplifier**

Laser Ride Height Sensor



 Sold Individually · CAN (Digital) Sensors - Does not use Analog channels

DA22501 Laser Ride Height Sensor \$1890.00

Lateral Grip Sensor




DA21660 Lateral Grip Sensor \$229.95









KNOWLEDGE = SPEED

Online Video Training

Free & Paid Videos & Courses

Hours of Seminars and In-Depth Suspension Training
Set-Up Process, Suspension Understanding, Adjustment Explanation, Team Building,
Data Analysis. For Crew Chiefs, Drivers, Team Owners & Anyone who wants to learn!
Lifetime Premium Access to All Content \$1750.00!

www.DRPUniversity.tv

Live Seminars & Workshops

In person group learning. Classroom & hands-on.

In Person 1:1 Set-Up Coaching & Race Car Analysis

Custom training, set-up, pull-down & data acquisition services.



Want to find more speed? Check out our Low Drag Components Catalog!



Warranty Disclaimer

Motor sports are very dangerous. Products are sold "as is" and user assumes all risk. DRP Performance Products, Inc. makes no warranty express or implied.

Prices are for reference only and subject to change without notice.

888-399-6074

DRPperformance.net

DRPuniversity.tv