




NEW! 4th Generation DSS-3 All-In-One Set-Up System

Our Fastest, Most Advanced, User Friendly System!



- Displays Wheel Weights, Shock Center to Center, Shock Travel & Frame Heights!
- Optional Bump Stop, Sway Bar, Droop Limiter or Trailing Arm Load Cells.
 - All of Your Information on One, Easy to Read Screen.




- Wireless Touchscreen Display!
- System Ships with a 10" Tablet Display.
- Use your Apple or Android Phone, I-pad or Lap Top to Display or Mirror to TV!
 - Easily Screen Shot Your Results for Your Notebook.



Purpose • Passion • Performance



Performance Products



- Center of Gravity Screen
- Tracks the Center of Gravity Position within the 4 Contact Patches.



- Wheel Load Graphing.
 - Overlay Multiple Tests or Multiple Wheels.
 - Store Files in System Memory or Download to USB.
 - Graph to Travel or Shock Center Line.
 - Scroll Graphs to View Load or Shock Position at Any Point.

4:36 PM Mon May 13
New < > AA 192.168.1.100


LEFT FRONT				RIGHT FRONT				LEFT REAR				RIGHT REAR			
Height (in)	Position (in)	Height (in)	Position (in)	Height (in)	Position (in)	Height (in)	Position (in)	Height (in)	Position (in)	Height (in)	Position (in)	Height (in)	Position (in)		
0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
0.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
1.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
2.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
3.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
4.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
5.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
6.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.8	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
7.9	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.1	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.2	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.3	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.4	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.5	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.6	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.7	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00		
8.8	0.00	0.0	0.00	0.0											




Set-Up. Test. Troubleshoot. All-In-One.



No surface plate required.
Fully Adjustable Stands with Optional Ground Plane Laser create
an "elevated surface plate to measure from.
Optional Wheel Alignment, Frame Heights, Ground Plane, Bump
Stop Loads, Sway Bar Load, Droop Limiter Load & More.



Mount to Concrete Floors or Surface Plates.
Portable Beam Option Also Available.



Precision Cylinders.
Fast, Fully Adjustable Chassis Mounts.

Purpose • Passion • Performance



Performance Products

DSS-3 4th GEN Standard Set-Up/Pull Down System

- Wireless Display
- 12", 4500# High Load Billet Scale Stands
- Precision Pull Down Cylinders
- Fast, Hang-Over Style, Fully Adjustable Chassis Mounts
- Adjustable Billet Floor Mounts for Cylinders
- Precision Joystick Controls
- 8 Channel System – 4 Wheel Scales & 4 Optional Shock Position or Frame Height Sensors

PD19003-4G DSS-3 Standard with 4th GEN Controls for Asphalt Late Models & Modifieds \$18,555.00

PD19003D-4G DSS-3 Standard with 4th GEN Controls for Dirt Late Models & Modifieds \$19,730.00
(Dirt Systems Include Acceleration Kit for Lift Arm/Pull Bar)

DSS-3 4th GEN Advanced Set-Up/Pull Down System

- Same Specs as Standard, But with:
- Shock Sensors Included
- Wheel Load Graphing
- Graph Overlays
- Test Comparison
- USB Download
- 16 Channel System – 4 Wheel Scales, 4 Shock Position Sensors + 4 Optional Frame Height Sensors & 4 Extra Sensor Channels for Optional Bump Stop, Sway Bar, Droop Limiter or Trailing Arm Load Cells

PD19113A-4G DSS-3 Advanced with 4th GEN Control for Asphalt Late Models & Modifieds \$22,998.00

PD19113D-4G DSS-3 Advanced with 4th GEN Control for Dirt Late Models & Modifieds \$24,175.00
(Dirt Systems Include Acceleration Kit for Lift Arm/Pull Bar)

Options:

Scales Only – DSS-3 Standard Control - No Pull Down Components – 12" Tall Billet, High Load, With Roll Offs \$8295.00

Shock Sensor Kit (4 Linear Shock Sensors) – Included with Advanced System \$1130.00

Frame Height Sensor Kit (String Sensors, Magnetic to Frame) \$1240.00

Portable Beam Kit (Set Up System Anywhere. No Floor Mounts Required.) \$1150.00

Ground Plane Laser Kit \$550.00

Real Square RS400PRO Laser Wheel Alignment System \$4150.00

Bump Stop Load Cell \$899.00 (each)

Sway Bar Load Cell – Solid Inline Style ½" \$1250.00

Sway Bar Load Cell – Slapper Style \$1190

Droop Limiter Load Cell \$1266.00

Trailing Arm Load Cell \$1266.00 (each)

Load Strut Kit (Plugs into DSS-3 Scale Control) Displays all 4 Struts \$2095.00

Acceleration Cylinder Kit (Measures Forward Drive) Included with Dirt Systems \$1595.00

Stand Extensions 4" (16" Overall) 8" (20" Overall) 12" (24" Overall) Call for Pricing

10/2024

Purpose • Passion • Performance